



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.05.2018

Version number 3

Revision: 01.05.2018

* 1 Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Hesi pH-minus
- **Article number:** HE50
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
pH corrector for liquid nutrient solutions for plants. Only for use as a pH corrector.
- **Application of the substance / the preparation** Decreases the pH in nutrient solutions for plants in bloom.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Hesi Plantenvoeding B.V.
Klarenanstelerweg 11
6468 EP Kerkrade (NL)
tel: 0031- (0) 45 569 04 20
fax: 0031- (0) 45 569 04 21
e-mail: info@hesi.nl
www.hesi.nl
- **Further information obtainable from:** Siglinde Winkler, e-mail: research@hesi.nl
- **1.4 Emergency telephone number:** National Poisons Information Service (NPIS): 0870 600 6266 (UK only)

2 Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



C; Corrosive

R34: Causes burns.

- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labelling:**
phosphoric acid
- **Hazard statements**
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.05.2018

Version number 3

Revision: 01.05.2018

Trade name: Hesi pH-minus

(Contd. of page 1)

- P303+P361+P353 **IF ON SKIN (or hair):** Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 **Immediately** call a POISON CENTER or doctor/physician.
- P304+P340 **IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Specific treatment (see on this label).
- P321 **Wash** contaminated clothing before reuse.
- P363 **Store** locked up.
- P405 **Dispose** of contents/container in accordance with local/regional/national/international regulations.
- P501

2.3 Other hazards**Results of PBT and vPvB assessment****PBT:**

Does not meet the specific criteria detailed in Annex XII of Regulation 1907/2006 and the substances is not considered as a PBT.

vPvB:

Does not meet the specific criteria detailed in Annex XII of Regulation 1907/2006 and the substances is not considered as a vPvB.

3 Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 7664-38-2	phosphoric acid	C R34	50-100%
EINECS: 231-633-2		Skin Corr. 1B, H314	

Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

4.1 Description of first aid measures**General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

Seek medical treatment.

After skin contact:

Remove contaminated clothing and shoes.

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

Seek immediate medical advice.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

The material is extremely destructive to mucous membranes and upper respiratory tract, eyes and skin.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.05.2018

Version number 3

Revision: 01.05.2018

Trade name: Hesi pH-minus

(Contd. of page 2)

5 Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:** Standard protective clothing for firefighters.

6 Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Do not breathe fumes.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or groundwater.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store in a cool, dry, well ventilated place.
Store only in the original receptacle.
Comply to national regulations.
- **Information about storage in one common storage facility:** Do not store together with alkalis (caustic solutions).
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

· Ingredients with limit values that require monitoring at the workplace:	
7664-38-2 phosphoric acid	
WEL	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³

- **Additional information:** The lists valid during the making were used as basis.

(Contd. on page 4)

GB



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.05.2018

Version number 3

Revision: 01.05.2018

Trade name: Hesi pH-minus

(Contd. of page 3)

· 8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Ensure good ventilation/exhaustion at the workplace.

Immediately remove all soiled and contaminated clothing

Keep away from foodstuffs, beverages and feed.

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the skin.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

Use of respiratory protection is recommended if the workplace limit is exceeded.

Self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

PVC gloves

Neoprene gloves

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Acid resistant protective clothing

9 Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid

Colour: Colourless

· Odour: Odourless

· Odour threshold: Not determined.

· pH-value at 20°C: 0.7

· Change in condition

Melting point/Melting range: - 20°C

Boiling point/Boiling range: > 150°C

· Flash point: Not applicable.

(Contd. on page 5)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.05.2018

Version number 3

Revision: 01.05.2018

Trade name: Hesi pH-minus

(Contd. of page 4)

· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure at 20°C:	23 hPa
· Density at 20°C:	1.42 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Fully miscible.
· Segregation coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
Water:	41.0 %
· 9.2 Other information	No further relevant information available.

10 Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with light alloys to form hydrogen.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Avoid contact with bases, metaloxides and metals.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Strong caustic effect on skin and mucous membranes.
- **on the eye:** Strong caustic effect.
- **Respiratory tract:** Corrosive for the respiratory tract.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Corrosive
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 6)

GB



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.05.2018

Version number 3

Revision: 01.05.2018

Trade name: Hesi pH-minus

(Contd. of page 5)

12 Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Must not reach sewage water or drainage ditch undiluted or unneutralized.
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH- value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:**
Does not meet the specific criteria detailed in Annex XII of Regulation 1907/2006 and the substances is not considered as a PBT.
- **vPvB:**
Does not meet the specific criteria detailed in Annex XII of Regulation 1907/2006 and the substances is not considered as a vPvB.
- **12.6 Other adverse effects** No further relevant information available.

13 Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
After prior treatment product has to be landfilled or incinerated adhering to the regulations pertaining to the disposal of especially hazardous waste.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information

- | | |
|--|---|
| · 14.1 UN-Number
· ADR, IMDG, IATA | UN1805 |
| · 14.2 UN proper shipping name
· ADR
· IMDG, IATA | 1805 PHOSPHORIC ACID, SOLUTION
PHOSPHORIC ACID, SOLUTION |
| · 14.3 Transport hazard class(es)

· ADR
<div style="text-align: center;"></div> | |
| · Class | 8 Corrosive substances. |

(Contd. on page 7)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.05.2018

Version number 3

Revision: 01.05.2018

Trade name: Hesi pH-minus

(Contd. of page 6)

· Label	8
· IMDG, IATA	
	
· Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group	
· ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Corrosive substances.
· Danger code (Kemler):	80
· EMS Number:	F-A, S-B
· Segregation groups	Acids
· 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Tunnel restriction code	E
· UN "Model Regulation":	UN1805, PHOSPHORIC ACID, SOLUTION, 8, III

15 Regulatory information

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H314 Causes severe skin burns and eye damage.

R34 Causes burns.

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

- *** Data compared to the previous version altered.**

General adaption as a result of name change.